Picture	item:	High speed hair dryer	unit price
	S1 Product prope rties:	TJS5A white/Pink/Green (customized color) Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed Negative ion: 200 000 000 class Noise index: ≤75db	16.5 USD
	S2 Product prope rties:	Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed Negative ion: 200 000 000 class Noise index: ≤75db	16.5 USD
	S3 Product prope rties:	Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed Negative ion: 200 000 000 class Noise index: ≤75db	16.5 USD
	S6 Product prope rties:	Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed wind Negative ion: 200 000 000 class Noise index: ≤75db	19.9USD

TJS5B Product prope rties:	Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s	20.5 USD
	Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed wind Negative ion: 200 000 000 class	
Product prope rties:R2	Noise index: ≤75db Rated power: 1500W Wind speed ::22m\s Speed: 110000rpm Noise: 65db Negative ions: 200 million Constant temperature: 100t\s Screen display: LED full-color digital screen + outer ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net Specification: 1.8m line single air nozzle	23.5 USD
Product prope rties:R3	Rated power: 1600W Wind speed ::23m\s Speed: 110000rpm Noise: 55db Negative ions: 200 million Constant temperature: 100t\s Screen display: outer ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net Specification: 1.8m line single air nozzle	25USD
Product prope rties:R5	Rated power: 1600W Wind speed ::25m\s Speed: 110000rpm Noise: 60db Negative ions: 200 million Constant temperature: 100t\s Screen display: LED full-color digital screen + inner ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net Specification: 1.8m line single air nozzle	20.5 USD

		Power: 1400w	
		Temperature control: 25-60°C-80°C-100°C	
		Speed: 110000 RPM	
5		Input voltage: domestic 220V~50Hz, US	
0	Product prope	110V~60Hz, European 230V~50Hz, British	20.5USD
	rties:R2L	230V~50Hz and so on	
Ψ		Wind speed gear: 2; Temperature control gear: 4	
T		Nozzle accessories: smooth single nozzle	
		Single weight: single nozzle 0.9kg	
		Rated power: 1600W	
		Wind speed ::25m\s	
		Speed: 110000rpm	
		Noise: 60db	
		Negative ions: 200 million	
8	Product prope	Constant temperature: 100t\s	19.5USD
₩ 3	rties:K2268	Screen display: LED full-color digital screen + inner	'
		ring three-color light ring	
		Dual magnetic suction: magnetic suction nozzle +	
		magnetic suction into the air net	
		Specification: 1.8m line single air nozzle	
		Rated power: 1500W	
		Wind speed ::25m\s	
		Speed: 110000rpm	
		Noise: 60db	
•		Negative ions: 200 million	
*	Product prope	Constant temperature: 100t\s	9.9USD
	rties:K2069	Screen display: LED full-color digital screen + inner	3.3030
		ring three-color light ring	
		Dual magnetic suction: magnetic suction nozzle +	
Y		magnetic suction into the air net	
_		Specification: 1.8m line single air nozzle	
		BLDC Hair Dryer	
		© Brushless motor with high speed 110,000rpm	
		Material: ABS	
	Product prope rties:F1	Motor: High speed motor Rewar sable specification: 1.0M	
		Power cable specification: 1.9M Overbeat protection: Supported	30USD
		Overheat protection: Supported	
		© Gear: second speed/third temperature cold and	
		hot cycle	
		Heating wire: U-shaped wire Detackable sirillat grill with magnet adsorption.	
	<u> </u>	Detachable airinlet grill with magnet adsorption	

Product prope rties:M13	BLDC Hair Dryer BLDC Hair Dryer Product name: High speed hair dryer Wind speed gear: two speed speed Rated voltage: 220V~ Rated frequency: 50Hz Rated power: 1600W Product model: TJM13 Power cable length: 1.8m Working mode: Seven intelligent modes	20USD
Product prope rties:F8	BLDC Hair Dryer Brushless motor with high speed 110,000rpm Material: PC Motor: High speed motor Power cable specification: 1.8M Overheat protection: Supported Gear: Two speed wind speed/four speed temperature/hot and cold cycle Heating wire: U-shaped wire Detachable airinlet grill with magnet adsorption for easy cleaning	19.5USD
properties: 6800W	Blu -ray, negative ion, hot and cold high -speed bassless Product name: 1 generation brushless hair dryer Power: 1600W-1800W Material: ABS % 40 PC % 60 Machine size: 30*9.8*8cm Packing: hardcover box/small gift box/big gift box	20.5 USD
Product prope rties:W02	Blu -ray, negative ion, hot and cold high -speed bassless Product name: 1 generation brushless hair dryer Power: 1600W-1800W Material: ABS % 40 PC % 60 Machine size: 30*9.8*8cm Packing: hardcover box/small gift box/big gift box	23.5 USD

2 concentration 1 has dryer	Product prope rties:2068	Rated voltage: 220V-240V Hair care function millions of negative ions Rated frequency: 50\60Hz Memory function Shutdown start, automatic identification Rated power: 1450-1800W Automatic cleaning 10 seconds motor reversal cleaning Motor rotation: 110000rpm Accessories Modeling size wind nozzle, diffuser Manual cleaning Filter can be removed to clean Wind speed: 25m\s Temperature: 98°-108° Noise: 68-72db	29.5USD
	properties: 9905	Three adjustable temperature / speed, intelligent cleaning, negative ion intelligent temperature control, reverse self-cleaning, 9 kinds of dry hair mode, alternating hot and cold, high and low speed cycle, care for hair Motor Type: Brushless Motor Rated power: 1200W (inclusive)-1499W (inclusive) (W) Air nozzle style: collecting air nozzle + loose air nozzle Product Specifications: Ordinary Rated voltage: 220 (V) Motor: BLDC motor Heating wire: spiral wire Negative ion, high speed, low frequency constant	17.5USD
SUPER STATE OF THE	properties:S11	Product standard list: Air nozzle With lamp Motor: brushless DC motor Function: Cold air Rated power: 40W Motor speed: 100000 RPM Power supply: 5V AC Wind speed: 33m Material/process: ABS Gross weight: 322 Gross weight of FCL: 12kg	16.5USD

ELNER	properties:S10	Product standard list: Air nozzle Motor: brushless DC motor Function: Cold air Rated power: 40W Motor speed: 100000 RPM Power supply: 5V AC Wind speed: 33m Material/process: ABS Gross weight :322 Gross weight of FCL :12kg	15.5USD
	properties:Q5	Product name: Turbine high speed fan Product standard list: small air nozzle + vacuum accessories +USB cable Motor: no dramatic DC motor Function: Cold air Product power: 60W Motor speed: 100000 RPM Power supply: 5V AC Wind speed: 24M type Product material/process: ABS+PP+ metal tifunctional high-speed curling iron set	16.5USD
Picture	name:	Multifunctional high-speed curling iron set	
Ficture	name.	5 in 1 hot air comb	
	properties: WT-622	Single voltage/fixed power cord color: Gray Voltage: 110V/220V Frequency: 50-60 HZ Power: 1000W Brush motor speed: 35,000 RPM, high speed DC motor The wind temperature at 1st gear is about 61-63 degrees Second gear about 96-98 degrees,	22.5USD

properties:C0 6	Voltage range for use DC 255-345 (V) Use of temperature and humidity Temperature -20 ~60 (℃) Humidity10~90% RH Motor position Output shaft all-round Load current 0.64±10% (A) Load power 80±10% (W) Two resistance 40.5~48.5 (Ω) Withstand voltage AC 1250V 1S Single motor noise ≤85 DB Lifespan AC220V single bare motor normal operation 1000+ hours AC220V single bare motor 100200 rpm	105USD
properties:S06	Voltage range for use DC 255-345 (V) Use of temperature and humidity Temperature -20 $\sim\!60^{\circ}\mathrm{C}$ Humidity10 $\sim\!90\%$ RH Motor position Output shaft all-round Load current $0.64\pm10\%$ (A) Load power $80\pm10\%$ (W) Two resistance $40.5\sim\!48.5$ (Ω) Withstand voltage AC 1250V 1S Single motor noise $\leq\!85$ DB Lifespan AC220V single bare motor normal operation 1000+ hours AC220V single bare motor 100200 rpm	103USD
Product prope rties:S03	Voltage range for use DC 255-345 (V) Use of temperature and humidity Temperature -20 ~60°C Humidity10~90% RH Motor position Output shaft all-round Load current 0.64±10% (A) Load power 80±10% (W) Two resistance 40.5~48.5 (Ω) Withstand voltage AC 1250V 1S Single motor noise ≤85 DB Lifespan AC220V single bare motor normal operation 1000+ hours AC220V single bare motor 100200 rpm	78USD

	Product prope rties:HD18	Weight: 1.1KG Voltage: 120V Negative ions: Help reduce static Wattage:1600W Power/Heat setling: 2 modes with 3 heat, 3 speed Air Flow: 11.9l/s Intelligent heat control: Intelligent heat control regulates airflow temperature 30 times a second Two styling modes: Wet and Dry modes LCD screen: LCD color screen displaysstyling mode, airflow, and temperature settings.	99USD
	Quota	ation of Hair straightener	
Picture	name:	Portable Wireless hair straightener	
9	properties: 007W	Hair straightener with diamond usb: type CPower15WWoltage:5v Color: Pink green grey Customize OEM & ODM:Support Diameter of heat conductor:10cmmaterial: one packing size:L46*W46*H227/MM 317gbox quantity:40pcsbox size: L487*V474*H123/mm 13.85kg temperature:160°C 180°C 200°C	20USD
	properties:00 7	Hair straightener with diamond usb: type CPower15WWoltage:5v Color: Pink green grey OEM & ODM:Support Diameter of heat conductor:10cmmaterial: one packing size:L46*W46*H227/MM 317gbox quantity:40pcsbox size: L487*V474*H123/mm 13.85kg temperature:160°C 180°C 200°C	15USD
	properties:01 1	Outer packaging size: L510*482*135 Battery / capacity: Built-in Battery 5000mAh Input Voltage: 5V ~ 2A Output voltage: 3.7V USB charging time: 2.5~3h 160°C / 320°F can usage time 40~50min 180°C / 356°F can usage time 35~40min 200°C / 392°F can usage time 30~35min 160°C / 320°F heating, speed 45/S 180°C / 356°F heating, speed 60/S 200°C / 392°F heating, speed 75/S Product certification: CE/FCC/ROHS/PSE Battery certification: CE/FCC/UN38.3/MSDS	16USD

properties: DSM-6001	 HD LED digital display Fast heating MCH/PTC is hot Power cord can be rotated 360° Adjustable temperature with one hand 60 seconds automatic shutdown Rated voltage: 100-240V Product power: 35W Rated frequency: 50/60Hz Display type: LED digital tube Temperature range: 150-210°C Default setting: 190 ° C Heating speed: 180°C in 90 seconds 	15USD
properties:00 9	Battery / capacity 4800mAh Built-in Battery Built-in Battery Input Voltage 5V ~ 2A 5V~2A Output voltage 3.7V 3.7V charging port Tpye-C USB charging time 2.5~3h 140°C / 266°F 50~60min 160°C / 302°F 45~50min 180°C / 338°F 40~45min 200°C / 374°F 30~35min 140°C / 266°F 120/S 160°C / 302°F 170/S 180°C / 338°F 220/S 200°C / 374°F 280/S	16USD
	TJ10 Conductor diameter 21mm-30mm Product category Roll and straighten both Power supply mode Wireless (lithium battery) Thermal conductivity material Tourmaline ceramics Temperature control adjustment Tier 10 brand WISDAS Suitable hair type Both wet and dry Optimum molding time 1-2 minutes colour Grey, dark blue	29.5USD