TEEJOIN HIGH SPEED HAIR DRYER QUOTATION (1000pcs MOQ)			
Picture	item:	High speed hair dryer	unit price
	properties: HD16	Shell material: Nylon+Fiberglass Motor type: brushless motor Rated power: 1600 (W) Rated voltage: 220V Standard configuration: 1.8-meter, single air nozzle Overheating protection: available Wind speed range: 3 levels Temperature gear: 4th gear Noise: 50-60dB	9USD
	Product prop erties:K2069	Rated power: 1500W Wind speed::25m\s Speed: 110000rpm Noise: 60db Negative ions: 200 million Constant temperature: 100t\s Screen display: LED full-color digital screen + inner ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net Specification: 1.8m line single air nozzle	9.9USD
Street St	properties:S1	Product standard list: Air nozzle Motor: brushless DC motor Function: Cold air Rated power: 40W Motor speed: 100000 RPM Power supply: 5V AC Wind speed: 33m Material/process: ABS Gross weight: 322 Gross weight of FCL: 12kg	15.5USD
Super	properties:S1	Product standard list: Air nozzle With lamp Motor: brushless DC motor Function: Cold air Rated power: 40W Motor speed: 100000 RPM Power supply: 5V AC Wind speed: 33m Material/process: ABS Gross weight: 322 Gross weight of FCL: 12kg	16.5USD

properties:Q5	Product name: Turbine high speed fan Product standard list: small air nozzle + vacuum accessories +USB cable Motor: no dramatic DC motor Function: Cold air Product power: 60W Motor speed: 100000 RPM Power supply: 5V AC Wind speed: 24M type Product material/process: ABS+PP+ metal	16.5USD
S1 Product prop erties:	white/Pink/Green (customized color) Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed Negative ion: 200 000 000 class Noise index: ≤75db	16.5 USD
S2 Product prop erties:	Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed Negative ion: 200 000 000 class Noise index: ≤75db	16.5 USD
S3 Product prop erties:	Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed Negative ion: 200 000 000 class Noise index: ≤75db	16.5 USD

properties: 9905	Three adjustable temperature / speed, intelligent cleaning, negative ion intelligent temperature control, reverse self-cleaning, 9 kinds of dry hair mode, alternating hot and cold, high and low speed cycle, care for hair Motor Type: Brushless Motor Rated power: 1200W (inclusive)-1499W (inclusive) (W) Air nozzle style: collecting air nozzle + loose air nozzle Product Specifications: Ordinary Rated voltage: 220 (V) Motor: BLDC motor Negative ion, high speed, low frequency constant temperature hair care,	17.5USD
Product prop erties:K2268	Rated power: 1600W Wind speed::25m\s Speed: 110000rpm Noise: 60db Negative ions: 200 million Constant temperature: 100t\s Screen display: LED full-color digital screen + inner ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net Specification: 1.8m line single air nozzle	19.5USD
properties: DJ100	Rated power: 1500 W Rated voltage: 220 V Rated frequency: 50 Hz Motor speed: 110000 revolutions per minute (high-speed brushless motor) Six modes: cold air, low temperature, medium temperature, high temperature, cold heat exchange, essential oil (or fragrance) Negative ion count: 200 million Product size: 274 * 75 * 57 mm Bare weight: 450 g Line length: 1.8 meters Single machine packaging size: 35.5 * 14.5 * 11 cm Outer box size: 57.5 * 36.8 * 46.0 cm Packing quantity: 15 pcs/box Gross weight: 19 kg Net weight: 18 kg	19.6USD

	S6 Product prop erties:	Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed wind Negative ion: 200 000 000 class Noise index: ≤75db	19.9USD
	Product prop erties:M13	BLDC Hair Dryer BLDC Hair Dryer Product name: High speed hair dryer Wind speed gear: two speed speed Rated voltage: 220V~ Rated frequency: 50Hz Rated power: 1600W Product model: TJM13 Power cable length: 1.8m Working mode: Seven intelligent modes	20USD
700	TJS5B Product prop erties:	Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed wind Negative ion: 200 000 000 class Noise index: ≤75db Certification: CE,FCC, PSE,ROHS	20.5 USD
	Product prop erties:R5	Rated power: 1600W Wind speed::25m\s Speed: 110000rpm Noise: 60db Negative ions: 200 million Constant temperature: 100t\s Screen display: LED full-color digital screen + inner ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net	20.5 USD

Product prop erties:R2L	Power: 1400w Temperature control: 25-60°C-80°C-100°C Speed: 110000 RPM Input voltage: domestic 220V~50Hz, US 110V~60Hz, European 230V~50Hz, British 230V~50Hz and so on Wind speed gear: 2; Temperature control gear: 4 Nozzle accessories: smooth single nozzle Single weight: single nozzle 0.9kg	20.5USD
properties: 6800W	Blu -ray, negative ion, hot and cold high -speed bassless Product name: 1 generation brushless hair dryer Power: 1600W-1800W Material: ABS % 40 PC % 60 Machine size: 30*9.8*8cm Packing: hardcover box/small gift box/big gift box	20.5 USD
Product prop erties:R2	Rated power: 1500W Wind speed::22m\s Speed: 110000rpm Noise: 65db Negative ions: 200 million Constant temperature: 100t\s Screen display: LED full-color digital screen + outer ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net Specification: 1.8m line single air nozzle	23.5 USD
	BLDC Hair Dryer Brushless motor with high speed 110,000rpm Material: PC Motor: BLDC High Speed motor Power cable specification: 1.8M Overheat protection: Supported Mode1: Cold wind blue light Mode2: Warm wind orange light Mode3:Hot air red lamp Mode4:The cold and warm cycle alternates between blue, orange and red breathing lights Mode5:Apply heat at 45°C and press for a long time to turn on the green light Wind Speed:26m/s	23.5 USD

properties: SY-730	Rated voltage: 220V Rated power: 1500W Motor type: brushless motor Handle folding: Foldable Wind nozzle style: single episode wind nozzle Overheating protection: available Available colors: White, Deep Space Grey Wind speed gear: 2nd gear Temperature range: 3 levels Negative ion count: 200 million Material: PC+NYLON Noise: 50-60dB	24.24USD
Product prop erties:R3	Rated power: 1600W Wind speed::23m\s Speed: 110000rpm Noise: 55db Negative ions: 200 million Constant temperature: 100t\s Screen display: outer ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net Specification: 1.8m line single air nozzle	25USD
properties: QN8019CE	Rated voltage: 220V Rated power: 1500W Motor type: brushless motor Handle folding: Foldable Wind nozzle style: single episode wind nozzle Overheating protection: available Available colors: white, blue Wind speed range: 3 levels Temperature gear: 4th gear Negative ion count: 200 million Material: PC Noise: 50-60dB	27.04USD

2 concentrarys 1 defeater 1 have dryer	Product prop erties:2068	Rated voltage: 220V-240V Hair care function millions of negative ions Rated frequency: 50\60Hz Memory function Shutdown start, automatic identification Rated power: 1450-1800W Automatic cleaning 10 seconds motor reversal cleaning Motor rotation: 110000rpm Accessories Modeling size wind nozzle, diffuser Manual cleaning Filter can be removed to clean Wind speed: 25m\s Temperature: 98°-108° Noise: 68-72db	29.5USD
	Product prop erties:F1	BLDC Hair Dryer © Brushless motor with high speed 110,000rpm © Material: ABS © Motor: High speed motor © Power cable specification: 1.9M © Overheat protection: Supported © Gear: second speed/third temperature cold and hot cycle © Heating wire: U-shaped wire © Detachable airinlet grill with magnet adsorption for easy cleaning	30USD
Quota	ation of Multi	ifunctional high-speed curling iron set	
Picture	name:	Multifunctional high-speed curling iron set	
	properties: WT-622	5 in 1 hot air comb Single voltage/fixed power cord color: Gray Voltage: 110V/220V Frequency: 50-60 HZ Power: 1000W Brush motor speed: 35,000 RPM, high speed DC motor The wind temperature at 1st gear is about 61-63 degrees Second gear about 96-98 degrees	22.5USD

properties: WT626	7 in1 hot air comb Voltage: 110V/220V Frequency: 50-60Hz Power: 1350W -1400W Brushless motor speed: 100,000 RPM High-end 130C° Mid-range 75C° Low-range 55C° Line length: 2.0M*1.0mm² with swivel tail Temperature control lock, power protection boot,	63.6USD
Product prop erties:S03	Voltage range for use DC 255-345 (V) Use of temperature and humidity Temperature - $20\sim60^{\circ}\text{C}$ Humidity $10\sim90\%$ RH Motor position Output shaft all-round Load current $0.64\pm10\%$ (A) Load power $80\pm10\%$ (W) Two resistance $40.5\sim48.5$ (Ω) Withstand voltage AC 1250V 1S Single motor noise ≤ 85 DB Lifespan AC220V single bare motor normal operation $1000+$ hours AC220V single bare motor 100200 rpm	78USD
Product prop erties:HD18	Weight: 1.1KG Voltage: 120V Negative ions: Help reduce static Wattage:1600W Power/Heat setling: 2 modes with 3 heat, 3 speed Air Flow: 11.9l/s Intelligent heat control: Intelligent heat control regulates airflow temperature 30 times a second Two styling modes: Wet and Dry modes LCD screen: LCD color screen displaysstyling mode_airflow_and temperature settings	99USD

Quota	Lifespan AC220V single bare motor normal operation 1000+ hours AC220V single bare motor 100200 rpm tion of Hair straightener	
properties:C0 6	Voltage range for use DC 255-345 (V) Use of temperature and humidity Temperature - $20\sim60$ (°C) Humidity $10\sim90\%$ RH Motor position Output shaft all-round Load current $0.64\pm10\%$ (A) Load power $80\pm10\%$ (W) Two resistance $40.5\sim48.5$ (Ω) Withstand voltage AC 1250V 1S Single motor noise ≤ 85 DB	105USD
properties:S0 6	Voltage range for use DC 255-345 (V) Use of temperature and humidity Temperature - $20\sim60^{\circ}\text{C}$ Humidity $10\sim90\%$ RH Motor position Output shaft all-round Load current $0.64\pm10\%$ (A) Load power $80\pm10\%$ (W) Two resistance $40.5\sim48.5$ (Ω) Withstand voltage AC 1250V 1S Single motor noise ≤85 DB Lifespan AC220V single bare motor normal operation $1000+$ hours AC220V single bare motor 100200 rpm	103USD

properties: HS-908	Product specifications: 110-220VAC 50/60Hz ■ Heating method: PTC (PTC: 60 * 15 * 3.0) ■ Display mode: digital tube display ■ Button modes: switch and temperature control function, fan switch ■ Scheduled shutdown: Automatically shuts down after 30 ± 3 minutes (press the button to clear the timer) ■ Temperature range: 120-130-140-150-160-170-180-190-200-210 °C, with 10 degrees each ■ Power cord: 360 degree rotatable, with optional wire and plug specifications Product size: Approximately 257.6mm × 35.5mm × 41.1mm Net weight of the product: approximately ■ Heating element material: aluminum, sprayed with ceramic oil or electroplated ■ Heating element specifications: length 95 x width 21.4 x height 20.9mm Heating time: The temperature of the aluminum plate reaches about 180 °C in 90 seconds, and the highest temperature is reached in 120 seconds (to be tested). Main material: PET	13.5USD
properties:00 7	Hair straightener with diamond usb: type CPower15WWoltage:5v Color: Pink green grey OEM & ODM:Support Diameter of heat conductor:10cmmaterial: one packing size:L46*W46*H227/MM 317gbox quantity:40pcsbox size: L487*V474*H123/mm 13.85kg temperature:160°C 180°C 200°C	15USD
properties:01	Outer packaging size: L510*482*135 Battery / capacity: Built-in Battery 5000mAh Input Voltage: 5V ~ 2A Output voltage: 3.7V USB charging time: 2.5~3h 160°C / 320°F can usage time 40~50min 180°C / 356°F can usage time 35~40min 200°C / 392°F can usage time 30~35min 160°C / 320°F heating, speed 45/S 180°C / 356°F heating, speed 60/S 200°C / 392°F heating, speed 75/S Product certification: CE/FCC/ROHS/PSE Battery certification: CE/FCC/UN38.3/MSDS	16USD