

TEJOIN HIGH SPEED HAIR DRYER QUOTATION (1000pcs MOQ)			
Picture	item:	High speed hair dryer	unit price
	properties: HD16	<p>Shell material: Nylon+Fiberglass            Motor type: brushless motor            Rated power: 1600 (W)            Rated voltage: 220V            Standard configuration: 1.8-meter, single air nozzle            Overheating protection: available            Wind speed range: 3 levels            Temperature gear: 4th gear            Noise: 50-60dB</p>	<b>9USD</b>
	Product properties: K2069	<p>Rated power: 1500W            Wind speed ::25m\s            Speed: 110000rpm            Noise: 60db            Negative ions: 200 million            Constant temperature: 100t\s            Screen display: LED full-color digital screen + inner ring three-color light ring            Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net            Specification: 1.8m line single air nozzle</p>	<b>9.9USD</b>
	properties:S10	<p>Product standard list: Air nozzle            Motor: brushless DC motor            Function: Cold air            Rated power: 40W            Motor speed: 100000 RPM            Power supply: 5V AC            Wind speed: 33m            Material/process: ABS            Gross weight :322            Gross weight of FCL :12kg</p>	<b>15.5USD</b>
	properties:S11	<p>Product standard list: Air nozzle With lamp            Motor: brushless DC motor            Function: Cold air            Rated power: 40W            Motor speed: 100000 RPM            Power supply: 5V AC            Wind speed: 33m            Material/process: ABS            Gross weight :322            Gross weight of FCL :12kg</p>	<b>16.5USD</b>

 	properties:Q5	<p>Product name: Turbine high speed fan          Product standard list: small air nozzle + vacuum accessories +USB cable          Motor: no dramatic DC motor          Function: Cold air          Product power: 60W          Motor speed: 100000 RPM          Power supply: 5V AC          Wind speed: 24M type          Product material/process: ABS+PP+ metal</p>	<b>16.5USD</b>
	S1 Product properties:	<p>white/Pink/Green (customized color)          Product power: 1200W/1600W          Support voltage: 220-240V          Motor speed: 107000rpm          Tuyere speed: 25≥m/s          Maximum temperature: mtc; Constant temperature point 155          Gear adjustment: 3 speed temperature +2 speed          Negative ion: 200 000 000 class          Noise index: ≤75db</p>	<b>16.5 USD</b>
	S2 Product properties:	<p>Product power: 1200W/1600W          Support voltage: 220-240V          Motor speed: 107000rpm          Tuyere speed: 25≥m/s          Maximum temperature: mtc; Constant temperature point 155          Gear adjustment: 3 speed temperature +2 speed          Negative ion: 200 000 000 class          Noise index: ≤75db</p>	<b>16.5 USD</b>
	S3 Product properties:	<p>Product power: 1200W/1600W          Support voltage: 220-240V          Motor speed: 107000rpm          Tuyere speed: 25≥m/s          Maximum temperature: mtc; Constant temperature point 155          Gear adjustment: 3 speed temperature +2 speed          Negative ion: 200 000 000 class          Noise index: ≤75db</p>	<b>16.5 USD</b>

	properties: 9905	Three adjustable temperature / speed, intelligent cleaning, negative ion intelligent temperature control, reverse self-cleaning, 9 kinds of dry hair mode, alternating hot and cold, high and low speed cycle, care for hair Motor Type: Brushless Motor Rated power: 1200W (inclusive)-1499W (inclusive) (W) Air nozzle style: collecting air nozzle + loose air nozzle Product Specifications: Ordinary Rated voltage: 220 (V) Motor: BLDC motor Negative ion, high speed, low frequency constant temperature hair care,	<b>17.5USD</b>
	Product prop erties:K2268	Rated power: 1600W Wind speed ::25m\s Speed: 110000rpm Noise: 60db Negative ions: 200 million Constant temperature: 100t\s Screen display: LED full-color digital screen + inner ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net Specification: 1.8m line single air nozzle	<b>19.5USD</b>
	properties: DJ100	Rated power: 1500 W Rated voltage: 220 V Rated frequency: 50 Hz Motor speed: 110000 revolutions per minute (high-speed brushless motor) Six modes: cold air, low temperature, medium temperature, high temperature, cold heat exchange, essential oil (or fragrance) Negative ion count: 200 million Product size: 274 * 75 * 57 mm Bare weight: 450 g Line length: 1.8 meters Single machine packaging size: 35.5 * 14.5 * 11 cm Outer box size: 57.5 * 36.8 * 46.0 cm Packing quantity: 15 pcs/box Gross weight: 19 kg Net weight: 18 kg	<b>19.6USD</b>

	S6 Product properties:	Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed wind Negative ion: 200 000 000 class Noise index: ≤75db	<b>19.9USD</b>
	Product properties:M13	BLDC Hair Dryer BLDC Hair Dryer Product name: High speed hair dryer Wind speed gear: two speed speed Rated voltage: 220V~ Rated frequency: 50Hz Rated power: 1600W Product model: TJM13 Power cable length: 1.8m Working mode: Seven intelligent modes	<b>20USD</b>
	TJS5B Product properties:	Product power: 1200W/1600W Support voltage: 220-240V Motor speed: 107000rpm Tuyere speed: 25≥m/s Maximum temperature: mtc; Constant temperature point 155 Gear adjustment: 3 speed temperature +2 speed wind Negative ion: 200 000 000 class Noise index: ≤75db Certification: CE,FCC,PSE,ROHS	<b>20.5 USD</b>
	Product properties:R5	Rated power: 1600W Wind speed ::25m\s Speed: 110000rpm Noise: 60db Negative ions: 200 million Constant temperature: 100t\s Screen display: LED full-color digital screen + inner ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net	<b>20.5 USD</b>

	Product properties:R2L	Power: 1400w Temperature control: 25-60°C-80°C-100°C Speed: 110000 RPM Input voltage: domestic 220V~50Hz, US 110V~60Hz, European 230V~50Hz, British 230V~50Hz and so on Wind speed gear: 2; Temperature control gear: 4 Nozzle accessories: smooth single nozzle Single weight: single nozzle 0.9kg	<b>20.5USD</b>
	properties: 6800W	Blu -ray, negative ion, hot and cold high -speed bassless Product name: 1 generation brushless hair dryer Power: 1600W-1800W Material: ABS % 40 PC % 60 Machine size: 30*9.8*8cm Packing: hardcover box/small gift box/big gift box	<b>20.5 USD</b>
	Product properties:R2	Rated power: 1500W Wind speed ::22m\s Speed: 110000rpm Noise: 65db Negative ions: 200 million Constant temperature: 100t\s Screen display: LED full-color digital screen + outer ring three-color light ring Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net Specification: 1.8m line single air nozzle	<b>23.5 USD</b>
	Product properties:W02	BLDC Hair Dryer Brushless motor with high speed 110,000rpm Material: PC Motor: BLDC High Speed motor Power cable specification: 1.8M Overheat protection: Supported Mode1: Cold wind blue light Mode2: Warm wind orange light Mode3: Hot air red lamp Mode4: The cold and warm cycle alternates between blue, orange and red breathing lights Mode5: Apply heat at 45°C and press for a long time to turn on the green light Wind Speed:26m/s	<b>23.5 USD</b>

	properties: SY-730	<p>Rated voltage: 220V          Rated power: 1500W          Motor type: brushless motor          Handle folding: Foldable          Wind nozzle style: single episode wind nozzle          Overheating protection: available          Available colors: White, Deep Space Grey          Wind speed gear: 2nd gear          Temperature range: 3 levels          Negative ion count: 200 million          Material: PC+NYLON          Noise: 50-60dB</p>	<b>24.24USD</b>
	Product prop erties:R3	<p>Rated power: 1600W          Wind speed ::23m\s          Speed: 110000rpm          Noise: 55db          Negative ions: 200 million          Constant temperature: 100t\s          Screen display: outer ring three-color light ring          Dual magnetic suction: magnetic suction nozzle + magnetic suction into the air net          Specification: 1.8m line single air nozzle</p>	<b>25USD</b>
	properties: QN8019CE	<p>Rated voltage: 220V          Rated power: 1500W          Motor type: brushless motor          Handle folding: Foldable          Wind nozzle style: single episode wind nozzle          Overheating protection: available          Available colors: white, blue          Wind speed range: 3 levels          Temperature gear: 4th gear          Negative ion count: 200 million          Material: PC          Noise: 50-60dB</p>	<b>27.04USD</b>

 	Product properties:2068	<p>Rated voltage : 220V-240V          Hair care function millions of negative ions          Rated frequency: 50\60Hz          Memory function Shutdown start, automatic identification          Rated power : 1450-1800W          Automatic cleaning 10 seconds motor reversal cleaning          Motor rotation : 110000rpm          Accessories Modeling size wind nozzle, diffuser          Manual cleaning Filter can be removed to clean          Wind speed : 25m\s          Temperature : 98°-108°          Noise : 68-72db</p>	<b>29.5USD</b>
	Product properties:F1	<p>BLDC Hair Dryer          ◎ Brushless motor with high speed 110,000rpm          ◎ Material: ABS          ◎ Motor: High speed motor          ◎ Power cable specification: 1.9M          ◎ Overheat protection: Supported          ◎ Gear: second speed/third temperature cold and hot cycle          ◎ Heating wire: U-shaped wire          ◎ Detachable airinlet grill with magnet adsorption for easy cleaning</p>	<b>30USD</b>

#### Quotation of Multifunctional high-speed curling iron set

Picture	name:	Multifunctional high-speed curling iron set	
	properties: WT-622	<p>5 in 1 hot air comb          Single voltage/fixed power cord          color: Gray          Voltage: 110V/220V          Frequency: 50-60 HZ          Power: 1000W          Brush motor speed: 35,000 RPM, high speed DC motor          The wind temperature at 1st gear is about 61-63 degrees          Second gear about 96-98 degrees</p>	<b>22.5USD</b>

	<p>properties: WT626</p> <p>7 in 1 hot air comb      Voltage: 110V/220V      Frequency: 50-60Hz      Power: 1350W -1400W      Brushless motor speed: 100,000 RPM      High-end 130C° Mid-range 75C° Low-range 55C°      Line length: 2.0M*1.0mm<sup>2</sup> with swivel tail      Temperature control lock, power protection boot,</p>	<b>63.6USD</b>
	<p>Product properties:S03</p> <p>Voltage range for use DC 255-345 (V)      Use of temperature and humidity Temperature - 20~60°C      Humidity 10~90% RH      Motor position Output shaft all-round      Load current 0.64±10% (A)      Load power 80±10% (W)      Two resistance 40.5~48.5 (Ω)      Withstand voltage AC 1250V 1S      Single motor noise ≤85 DB      Lifespan AC220V single bare motor normal operation 1000+ hours      AC220V single bare motor 100200 rpm</p>	<b>78USD</b>
	<p>Product properties:HD18</p> <p>Weight: 1.1KG      Voltage: 120V      Negative ions: Help reduce static      Wattage: 1600W      Power/Heat setting: 2 modes with 3 heat, 3 speed      Air Flow: 11.9l/s      Intelligent heat control: Intelligent heat control regulates airflow temperature 30 times a second      Two styling modes: Wet and Dry modes      LCD screen: LCD color screen displays styling mode, airflow and temperature settings</p>	<b>99USD</b>

	properties:S0 6	<p>Voltage range for use DC 255-345 (V)          Use of temperature and humidity Temperature - 20~60°C          Humidity 10~90% RH          Motor position Output shaft all-round          Load current 0.64±10% (A)          Load power 80±10% (W)          Two resistance 40.5~48.5 (Ω)          Withstand voltage AC 1250V 1S          Single motor noise ≤85 DB          Lifespan AC220V single bare motor normal operation 1000+ hours          AC220V single bare motor 100200 rpm</p>	<b>103USD</b>
	properties:C0 6	<p>Voltage range for use DC 255-345 (V)          Use of temperature and humidity Temperature - 20~60 (°C)          Humidity 10~90% RH          Motor position Output shaft all-round          Load current 0.64±10% (A)          Load power 80±10% (W)          Two resistance 40.5~48.5 (Ω)          Withstand voltage AC 1250V 1S          Single motor noise ≤85 DB          Lifespan AC220V single bare motor normal operation 1000+ hours          AC220V single bare motor 100200 rpm</p>	<b>105USD</b>
<b>Quotation of Hair straightener</b>			
<b>Picture</b>	<b>name:</b>	<b>Portable Wireless hair straightener</b>	

	properties: HS-908	<p>Product specifications: 110-220VAC 50/60Hz</p> <ul style="list-style-type: none"> <li>■ Heating method: PTC (PTC: 60 * 15 * 3.0)</li> <li>■ Display mode: digital tube display</li> <li>■ Button modes: switch and temperature control function, fan switch</li> <li>■ Scheduled shutdown: Automatically shuts down after 30 ± 3 minutes (press the button to clear the timer)</li> <li>■ Temperature range: 120-130-140-150-160-170-180-190-200-210 °C, with 10 degrees each</li> <li>■ Power cord: 360 degree rotatable, with optional wire and plug specifications</li> </ul> <p>Product size: Approximately 257.6mm × 35.5mm × 41.1mm</p> <p>Net weight of the product: approximately</p> <ul style="list-style-type: none"> <li>■ Heating element material: aluminum, sprayed with ceramic oil or electroplated</li> <li>■ Heating element specifications: length 95 x width 21.4 x height 20.9mm</li> </ul> <p>Heating time: The temperature of the aluminum plate reaches about 180 °C in 90 seconds, and the highest temperature is reached in 120 seconds (to be tested).</p> <p>Main material: PET</p>	<b>13.5USD</b>
	properties:00 7	<p>Hair straightener with diamond</p> <p>usb: type C</p> <p>Power 15W</p> <p>Voltage: 5v</p> <p>Color: Pink green grey</p> <p>OEM &amp; ODM: Support</p> <p>Diameter of heat conductor: 10cm</p> <p>material: one packing size: L46*W46*H227/MM</p> <p>317g</p> <p>box quantity : 40pcs</p> <p>box size: L487*V474*H123/mm</p> <p>13.85kg</p> <p>temperature: 160°C 180°C 200°C</p>	<b>15USD</b>
	properties:01 1	<p>Outer packaging size: L510*482*135</p> <p>Battery / capacity : Built-in Battery 5000mAh</p> <p>Input Voltage: 5V ~ 2A</p> <p>Output voltage: 3.7V</p> <p>USB charging time: 2.5~3h</p> <p>160°C / 320°F can usage time 40~50min</p> <p>180°C / 356°F can usage time 35~40min</p> <p>200°C / 392°F can usage time 30~35min</p> <p>160°C / 320°F heating, speed 45/S</p> <p>180°C / 356°F heating, speed 60/S</p> <p>200°C / 392°F heating, speed 75/S</p> <p>Product certification: CE/FCC/ROHS/PSE</p> <p>Battery certification: CE/FCC/UN38.3/MSDS</p>	<b>16USD</b>